

Available Online at www.ijms.co.in Innovative Journal of Medical Sciences 2019; 3(3):1-3

RESEARCH ARTICLE

Apprehension of facts of causes and prevention of peptic ulcer in Bahauddin Zakariya University, Multan, Pakistan

Muhammad Imran Qadir, Maryam Saba*

Department of Biology, Institute of Molecular Biology and Biotechnology, Bahauddin Zakariya University, Multan, Pakistan

Received on: 15 March 2019; Revised on: 15 April 2019; Accepted on: 01 June 2019

ABSTRACT

Introduction: The objective of the present study was peptic ulcer. **Method and Material:** There were a total of 76 students who participated in this project. Moreover, there were 15 questions which all were marked by all the students. **Result:** A questionnaire was prepared about peptic ulcer, in which there are different percentages of all the questions and the outcome is that peptic ulcer is a bacterial disease and it occurs most in females than in males. **Conclusion:** Peptic ulcer can be controlled by medicines.

Keywords: Peptic ulcer, Stomach ulcer, Helicobacter pylori

INTRODUCTION

A peptic ulcer is a type of sore which forms in the digestive system. The term peptic ulcer is a prior era. All the three kinds of peptic ulcer are here. One is the gastric ulcer which occurs inside the stomach. Second, the ulcer which occurs in small intestine is duodenal ulcer. Third, esophageal ulcer occurs in esophagus.^[1] The main causes of peptic ulcer are *Helicobacter pylori* which are bacteria that are effective on stomach and other is nonsteroidal anti-inflammatory drugs. The symptoms of peptic ulcer are abdominal pain, vomiting with blood, and weight loss. It can be cured by antibiotics. Antacids can also be used to neutralize the acidity and pain in stomach. Proton-pump inhibitor finishes the production of acid.^[2]

People with peptic ulcer should take proper diet and should also adopt some home remedies which are very useful for those persons. There are specific foods due to which ulcer becomes worse. It is well known that milk can act as preventer for the patients of ulcers. The other main thing is that

Corresponding Author: Maryam Saba, E-mail: maryamsababzu@gmail.com smoking is the main cause of ulcer. The frequent use of NSAIDs can also cause ulcer.

The objective of the present study was to evaluate the views about peptic ulcer among the students.

MATERIALS AND METHODS

A questionnaire was prepared about peptic ulcer. We wrote our project on a paper and gave to all the students. There were 15 questions which were answered by the students. In this project, every student marked on it according to their knowledge. A total of 76 students participated in this project. According to those answers, we counted the yes and no and made the percentage to evaluate awareness of etiology, views about prevalence, transmission, and hope of peptic ulcer [Tables 1-4].

RESULTS AND DISCUSSION

A questionnaire was prepared about peptic ulcer. There is the result of project, in which there are 6.57% who said that it is a viral disease, 97.36% said that it is a bacterial disease, 10.52% said that it is a fungal disease, 6.57% said that it is a genetic disease, and 2.63% said that it is a metabolic disease

Table 1: Questionnaire to evaluate awareness of the etiology of peptic ulcer

ettology of peptie dieer			
Peptic ulcer is a	Yes (%)	No (%)	
Viral disease	6.57	93.42	
Bacterial disease	97.36	2.63	
Fungal disease	10.52	89.47	
Genetic disease	6.57	93.42	
Metabolic disease	11.84	57.89	

 Table 2: Questionnaire to evaluate views about the prevalence of peptic ulcer

Any time suffered from peptic ulcer	Yes (%)	No (%)
You	11.84	88.15
Your family member	15.78	84.21
Your relative	25	75
Your neighbor	22.36	78.94
Your friend	21.05	88.15

 Table 3: Questionnaire to evaluate views about transmission of peptic ulcer

Peptic ulcer is transmitted by	Yes (%)	No (%)
Contacts or blood transfusion	5.26	94.73
From parents to offspring	6.57	93.42

 Table 4: Questionnaire to evaluate views about hope for peptic ulcer

Peptic ulcer may be cured by	Yes (%)	No (%)
Medicines	27.63	72.36
Surgery	10.52	90.78
No need of treatment	6.57	88.15

Table 5: Questionnaire about etiology of peptic ulcer.Views of postgraduate students

Questions	Male (%)		Female (%)	
	Yes	No	Yes	No
Viral disease	1.31	18.42	5.26	75
Bacterial disease	19.73	0	77.63	2.63
Fungal disease	0	19.73	10.52	69.73
Genetic disease	0	19.73	6.57	73.68
Metabolic disease	5.26	14.47	36.84	43.42

in the etiology of peptic ulcer. Second thing is the prevalence of it, in which 11.84% said that they had suffered by this disease, 15.78% said that their family member had suffered by it, 25% said that their relative had suffered by it, 22.36% said that their neighbor had suffered by it, and 21.05% said that their friend had also suffered from it. In the

IJMS/Jul-Sep-2019/Vol 3/Issue 3

transmission of this disease, 5.26% said that this disease comes from contacts and blood transfusion and 6.57% said that it comes from parents to the offspring. About 27.63% said that it can be cured by antibiotics, 10.52% said that surgery is best for it, and 5.26% said that there is no need of treatment, it can be cured itself [Table 5].

Questionnaire-based studies were given important in the current researches.^[3-10] Vergara *et al.* studied about the peptic ulcer. They concluded that *H. pylori* eradication reduces the incidence of peptic ulcer in the overall population receiving nonsteroidal antiinflammatory drugs.^[11]

CONCLUSION

It was concluded from the study that it is a bacterial disease and it is also concluded from this study that somehow it is also a metabolic disease. This disease mostly occurs in females than males.

REFERENCES

- 1. Marshall BJ, Warren JR. Unidentified curved bacilli in the stomach of patients with gastritis and peptic ulceration. Lancet 1984;1:1311-5. Qadir MI, Noor A. Anemia Rare and Uncommon Diseases. Newcastle, England: Cambridge Scholars Publishing; 2018.
- 2. Atherton JC, Cao P, Peek RM Jr. Tummuru MK, Blaser MJ, Cover TL, *et al.* Mosaicism in vacuolating cytotoxin alleles of *Helicobacter pylori*. Association of specific vacA types with cytotoxin production and peptic ulceration. J Biol Chem 1995;270:17771-7.
- Qadir MI, Javid A. Awareness about Crohn's disease in biotechnology students. Glob Adv Res J Med Med Sci 2018;7:62-4.
- Qadir MI, Saleem A. Awareness about ischemic heart disease in university biotechnology students. Glob Adv Res J Med Med Sci 2018;7:59-61.
- 5. Qadir MI, Ishfaq S. Awareness about hypertension in biology students. Int J Mod Pharm Res 2018;7:8-10.
- Qadir MI, Mehwish. Awareness about psoriasis disease. Int J Mod Pharma Res 2018;7:17-8.
- Qadir MI, Shahzad R. Awareness about obesity in postgraduate students of biotechnology. Int J Mod Pharma Res 2018;7:14-6.
- 8. Qadir MI, Rizvi M. Awareness about thalassemia in post graduate students. MOJ Lymphol Phlebol 2018;2:14-6.
- 9. Qadir MI, Ghalia BA. Awareness Survey about Colorectal Cancer in Students of M. Phil Biotechnology at Bahauddin Zakariya University. Vol. 1. Multan, Pakistan: Novel Approaches in Cancer Study; 2018.

- Qadir MI, Saba G. Awareness about Intestinal Cancer in University Student. Bahauddin Zakariya Univesity. Vol. 1. Multan, Pakistan: Novel Approaches in Cancer Study; 2018.
- 11. Vergara M, Catalán M, Gisbert JP, Calvet X. Metaanalysis: Role of helicobacter pylori eradication in the prevention of peptic ulcer in NSAID users. Aliment Pharmacol Ther 2005;21:1411-8.